

Super SolarBOX

S O L A R B O X

international electronic desing

The most robust Super Solar BOX in the world.!

5 Years unconditional exchange guarantee. 15 Years life expectancy.

2020 - 2021

**New All in One Super Solar BOX Series
220 Volt Output Series**



Data Sheet & User Manuel Guide

Super Solar BOX

www.supersolarbox.com

Made in : TR

The most robust Super SolarBOX in the world.!

www.supersolarbox.com

S-BOX SOLARBOX

international electronic desing

MiniMAX Super Solar BOX				MiniMAX 750 Watt – 1000 Watt				12 V	DC 12 V & AC 220 V		
Kod	Models	AC-Watt	Battery	Input PV	Solar CHR	Frequency	Output AC	Output DC	AC CHR	Price	
TRX-500N	MiniMax	500 W	12 V – 22 Ah	40 Watt	10 Amp	40 / 60 Hz	220 V +/- 8	12 V x 2	4 Ah	\$ 220	
TRX-750WN	MiniMaxPRO	750 W	12 V – 40 Ah	65 Watt	20 Amp	40 / 60 Hz	220 V +/- 8	12 V x 3	6 Ah	\$ 300	

We reserve the right to make changes.

Without Tax

Blue Super Solar BOX				Blue 1000 Watt – 1500 Watt				12 V	DC 12 V & AC 220 V		
Kod	Models	Watt	Battery	Input PV	Solar CHR	Frequency	Output AC	Output DC	AC CHR	Price	
TRX-1KW	Blue	1 KW	12 V – 44 Ah	85 Watt	20 Amp	40 / 60 Hz	220 V +/- 6	12 V x 3	6 Ah	\$ 390	
TRX-1.5KW	BluePRO	1.5 KW	12 V – 60 Ah	180 Watt	30 Amp	40 / 60 Hz	220 V +/- 6	12 V x 3	8 Ah	\$ 485	

We reserve the right to make changes.

Without Tax

Yellow Super Solar BOX				Yellow 1500 Watt – 2000 Watt				12/24 V	DC 12 V & AC 220 V		
Kod	Models	Watt	Battery	Input PV	Solar CHR	Frequency	Output AC	Wifi Connect	AC CHR	Price	
TRX-1500Y	Yellow	1.5 KW	12 V – 80 Ah	325 Watt	30 Amp	45 / 60 Hz	220 V +/- 4	Optional	10 Amp	\$ 750	
TRX-2000Y	YellowPRO	2 KW	12 V – 100 Ah	750 Watt	40 Amp	45 / 60 Hz	220 V +/- 4	Optional	10 Amp	\$ 1080	

We reserve the right to make changes.

Without Tax

Orange Super Solar BOX				Orange 2500 Watt – 3000 Watt				24 V	AC 220 V		
Kod	Models	Watt	Battery	Input PV	Solar CHR	Frequency	Output AC	Wifi Connect	AC CHR	Price	
TRX-2500K	Orange	2.5 KW	24 V – 80*2 160 Ah	1075 Watt	40 Amp	45 / 60 Hz	220 V +/- 4	Yes 2.4 Ghz	20 Amp	\$ 1360	
TRX-3000KP	OrangePRO	3 KW	24 V – 100*2 200 Ah	1950 Watt	60 Amp	45 / 60 Hz	220 V +/- 4	Yes 2.4 Ghz	30 Amp	\$ 1890	

We reserve the right to make changes.

Without Tax

Red Super Solar BOX				Red 4000 Watt – 6000 Watt				48 V	AC 220 V or AC 380 V		
Kod	Models	Watt	Battery	Input PV	Solar CHR	Frequency	Output AC	Wifi Connect	AC CHR	Price	
TRX-4KWR	Red	4 KW	48 V – 100*4 400 Ah	2600 Watt	60 Amp	45 / 60 Hz	220 V +/- 4	Yes 2.4 Ghz	30 Amp	\$ 2650	
TRX-6KWR	RedPRO	6 KW	48 V – 200*4 800 Ah	3250 Watt	100 Amp	45 / 60 Hz	220 V +/- 4	Yes 2.4 Ghz	30 Amp	\$ 3660	

We reserve the right to make changes.

Without Tax

All systems include solar panels specified in their specifications. Cable is included. Bolts and mounting apparatus are included. One-to-one replacement is guaranteed for 5 years.



S-BOX Green Series
0,50 Kw – 0,75 Kw



S-BOX Blue Series
1 Kw – 1,5 Kw



S-BOX Yellow Series
1,5 Kw – 2 Kw



S-BOX Orange Series
2,5 Kw – 3 Kw



S-BOX Red Series
4 Kw – 6 Kw

www.supersolarbox.com

Made in : TR

The most robust Super SolarBOX in the world.!

www.supersolarbox.com

S-BOX
SOLARBOX

international electronic desing

MiniMAX Super Solar BOX

MiniMAX 500 Watt – 750 Watt

12 V

Kod	Models	AC-Watt	Battery	PV	Solar CHR	Frequency	Output AC	Output DC	AC CHR	Price
TRX-500N	MiniMax	500 W	12 V – 22 Ah	40 Watt	10 Amp	40 / 60 Hz	220 V +/- 4	12 V x 2	4 Ah	\$ -
TRX-750WN	MiniMaxPRO	750 W	12 V – 40 Ah	65 Watt	20 Amp	40 / 60 Hz	220 V +/- 4	12 V x 3	6 Ah	\$ -

We reserve the right to make changes.



Pv Connect "Solar Input"

MiniMAX 500 Watt

500N

Kod	Max. Pv W	Pv Models	Pv In Volt	Model	Shock+
TRX-500N	125 Watt	Poly/Mono/Amorf/Ciss	11,6 V – 22.5 V	S-Pwm	2%

Pv Connect "Solar Input"

MiniMAX 750 Watt

750N

Kod	Max. Pv W	Pv Models	Pv In Volt	Model	Shock+
TRX-750WN	250 Watt	Poly/Mono/Amorf/Ciss	11,6 V – 22.5 V	S-Pwm	2%

if it only runs on battery ;

When the solar panel is not connected

22 Ah

MiniMAX 500 Watt

Kod	Models	Output	Load	Time	Current	Battery Time	Output	Load	Time	Current	Battery Time
TRX-500N	MiniMax	AC – 220 V	10 Watt	1 Hour	0,98 Amp	16 Hour	DC – 12 V	10 Watt	1 Hour	0,83 Amp	20 Hour
TRX-500N	MiniMax	AC – 220 V	25 Watt	1 Hour	2,45 Amp	6 Hour	DC – 12 V	25 Watt	1 Hour	1,88 Amp	10 Hour
TRX-500N	MiniMax	AC – 220 V	50 Watt	1 Hour	4,90 Amp	3 Hour	DC – 12 V	50 Watt	1 Hour	3,72 Amp	5 Hour
TRX-500N	MiniMax	AC – 220 V	100 Watt	1 Hour	9,80 Amp	1 Hour	DC – 12 V	100 Watt	1 Hour	7,40 Amp	2 Hour

We reserve the right to make changes.

if it only runs on battery ;

When the solar panel is not connected

40 Ah

MiniMAX 750 Watt


Kod	Models	Output	Load	Time	Current	Battery Time	Output	Load	Time	Current	Battery Time
TRX-750WN	MiniMaxPRO	AC – 220 V	10 Watt	1 Hour	0,98 Amp	30 Hour	DC – 12 V	10 Watt	1 Hour	0,83 Amp	38 Hour
TRX-750WN	MiniMaxPRO	AC – 220 V	25 Watt	1 Hour	2,45 Amp	10 Hour	DC – 12 V	25 Watt	1 Hour	1,88 Amp	16 Hour
TRX-750WN	MiniMaxPRO	AC – 220 V	50 Watt	1 Hour	4,90 Amp	6 Hour	DC – 12 V	50 Watt	1 Hour	3,72 Amp	9 Hour
TRX-750WN	MiniMaxPRO	AC – 220 V	100 Watt	1 Hour	9,80 Amp	2 Hour	DC – 12 V	100 Watt	1 Hour	7,40 Amp	3 Hour

We reserve the right to make changes.

45 / 60 Hertz

New Modified Spesific Output Hertz Tecnology

210 / 235 Volt



www.supersolarbox.com

Made in : TR

The most robust Super SolarBOX in the world.!

www.supersolarbox.com

S-BOX

SOLARBOX

international electronic desing



* Front view

Common features ;

Height : 20,0 Cm
Width : 15,5 Cm
Length : 38,5 Cm
Screen : Led V
Error led : Yes
Start led : Yes
AC 220 V : Yes
DC 12 V : Yes

Wight ;

MiniMax : 12 Kg (+/-%10)
MiniMXPro: 16 Kg (+/-%10)



* Rear view

MiniMax ;

You can use your devices up to 500 watts

MiniMax PRO ;

You can use your devices up to 750 watts

We reserve the right to make changes.

Devices it can operate

Super Solar BOX MiniMax

- 1 Cell phone charger
- 2 Laptop charger
- 3 Tablet charger
- 4 2 pcs led bulbs
- 5 Fan cool

Super Solar BOX MiniMax PRO

- 1 Cell phone charger
- 2 Laptop charger
- 3 Tablet charger
- 4 3 pcs led bulbs
- 5 Fan cool
- 6 Mini led television
- 7 Satalite receiver

Package Included MiniMax

All inclusive ready package

Package Included MiniMax PRO



12 Volt - 220 Volt 500 Watt

22Ah Batt, 500W 220V Output, 40W Solar Panel, Led Lamp



12 Volt - 220 Volt 750 Watt

40Ah Batt, 750W 220V Output, 65W Solar Panel, Led Lamp

www.supersolarbox.com

Made in : TR

The most robust Super SolarBOX in the world.!

www.supersolarbox.com

S-BOX SOLARBOX

international electronic desing

Blue Super Solar BOX

Blue 1000 Watt – 1500 Watt

12 V

Kod	Models	AC-Watt	Battery	PV	Solar CHR	Frequency	Output AC	Output DC	AC CHR	Price
TRX-1KWN	Blue	1 W	12 V – 44 Ah	85 Watt	20 Amp	40 / 60 Hz	220 V +/- 4	12 V x 3	6 Ah	\$ -
TRX-1.5KW	BluePRO	1.5 KW	12 V – 60 Ah	175 Watt	30 Amp	40 / 60 Hz	220 V +/- 4	12 V x 3	8 Ah	\$ -

We reserve the right to make changes.



Pv Connect "Solar Input"

Blue 1000 Watt

1KWN

Kod	Max. Pv W	Pv Models	Pv In Volt	Model	Shock+
TRX-1KWN	250 Watt	Poly/Mono/Amorf/Ciss	11,6 V – 22.5 V	S-Pwm	2%

Pv Connect "Solar Input"

BluePRO 1500 Watt

1.5KW

Kod	Max. Pv W	Pv Models	Pv In Volt	Model	Shock+
TRX-1.5KW	450 Watt	Poly/Mono/Amorf/Ciss	11,6 V – 22.5 V	S-Pwm	5%

if it only runs on battery ;

When the solar panel is not connected

44 Ah

Blue 1000 Watt

Kod	Models	Output	Load	Time	Current	Battery Time	Output	Load	Time	Current	Battery Time
TRX-1KWN	Blue	AC – 220 V	10 Watt	1 Hour	0,98 Amp	32 Hour	DC – 12 V	10 Watt	1 Hour	0,83 Amp	40 Hour
TRX-1KWN	Blue	AC – 220 V	25 Watt	1 Hour	2,45 Amp	12 Hour	DC – 12 V	25 Watt	1 Hour	1,88 Amp	20 Hour
TRX-1KWN	Blue	AC – 220 V	50 Watt	1 Hour	4,90 Amp	6 Hour	DC – 12 V	50 Watt	1 Hour	3,72 Amp	10 Hour
TRX-1KWN	Blue	AC – 220 V	100 Watt	1 Hour	9,80 Amp	2 Hour	DC – 12 V	100 Watt	1 Hour	7,40 Amp	4 Hour

We reserve the right to make changes.

if it only runs on battery ;

When the solar panel is not connected

60 Ah

BluePRO 1500 Watt


Kod	Models	Output	Load	Time	Current	Battery Time	Output	Load	Time	Current	Battery Time
TRX-1.5KW	BluePRO	AC – 220 V	10 Watt	1 Hour	0,98 Amp	46 Hour	DC – 12 V	10 Watt	1 Hour	0,83 Amp	50 Hour
TRX-1.5KW	BluePRO	AC – 220 V	25 Watt	1 Hour	2,45 Amp	20 Hour	DC – 12 V	25 Watt	1 Hour	1,88 Amp	32 Hour
TRX-1.5KW	BluePRO	AC – 220 V	50 Watt	1 Hour	4,90 Amp	10 Hour	DC – 12 V	50 Watt	1 Hour	3,72 Amp	16 Hour
TRX-1.5KW	BluePRO	AC – 220 V	100 Watt	1 Hour	9,80 Amp	5 Hour	DC – 12 V	100 Watt	1 Hour	7,40 Amp	8 Hour

We reserve the right to make changes.

45 / 60 Hertz

New Modified Spesific Output Hertz Tecnology

210 / 235 Volt



www.supersolarbox.com

Made in : TR

The most robust Super SolarBOX in the world.!

www.supersolarbox.com

S-BOX
SOLARBOX

international electronic desing

Devices it can operate

Super Solar BOX Blue

- 1 Cell phone charger
- 2 Laptop charger
- 3 Tablet charger
- 4 3 pcs led bulbs
- 5 Fan cool
- 6 Mini led television
- 7 Satalite receiver

Super Solar BOX Blue PRO

- 1 Cell phone charger
- 2 Laptop charger
- 3 Tablet charger
- 4 5 pcs led bulbs
- 5 Fan cool
- 6 Mini led television
- 7 Satalite receiver
- 8 Small drill
- 9 Mini A+++ car refrigerator



* Front view

Common features ;

Height : 34,0 Cm
Width : 20,5 Cm
Lenght : 40,5 Cm
Screen : Led V
Error led : Yes
Start led : Yes
AC 220 V : Yes
DC 12 V : Yes

Wight ;

Blue : 24 Kg (+/-%10)
Blue Pro : 30 Kg (+/-%10)



* Rear view

Blue ;

You can use your devices up to 1000 watts

Blue PRO ;

You can use your devices up to 1500 watts

We reserve the right to make changes.

Package Included Blue

All inclusive ready package

Package Included Blue PRO



12 Volt - 220 Volt 1 KW
44Ah Batt, 1 KW 220V Output, 85W Solar Panel, Led Lamp



12 Volt - 220 Volt 1,5 KW
60Ah Batt, 1,5 KW 220V Output, 180W Solar Panel, Led Lamp

www.supersolarbox.com

The most robust Super SolarBOX in the world.!

www.supersolarbox.com

S-BOX SOLARBOX

international electronic desing

Blue Super Solar BOX

Yellow 1500 Watt – 2000 Watt

12/24 V

Kod	Models	AC-Watt	Battery	PV	Solar CHR	Frequency	Output AC	Wifi Connect	AC CHR	Price
TRX-1.5KWY	Yellow	1.5 KW	12 V – 80 Ah	325 Watt	30 Amp	40 / 60 Hz	220 V +/- 4	Optional	10 Ah	\$ -
TRX-2KWY	YellowPRO	2 KW	12 V – 100 Ah	750 Watt	40 Amp	40 / 60 Hz	220 V +/- 4	Optional	10 Ah	\$ -

We reserve the right to make changes.



Pv Connect "Solar Input"

Yellow 1500 Watt

1.5KW

Kod	Max. Pv W	Pv Models	Pv In Volt	Model	Shock+
TRX-1.5KWY	450 Watt	Poly/Mono/Amorf/Ciss	11,6 V – 22.5 V	S-Pwm	5%

Pv Connect "Solar Input"

YellowPRO 2000 Watt

2 KW

Kod	Max. Pv W	Pv Models	Pv In Volt	Model	Shock+
TRX-2KWY	1050 Watt	Poly/Mono/Amorf/Ciss	11,6 V – 22.5 V	S-Pwm	8%

if it only runs on battery ;

When the solar panel is not connected

80 Ah

Yellow 1500 Watt

Kod	Models	Output	Load	Time	Current	Battery Time	Output	Load	Time	Current	Battery Time
TRX-1.5KWY	Yellow	AC – 220 V	10 Watt	1 Hour	0,98 Amp	60 Hour	DC – 12 V	10 Watt	1 Hour	0,83 Amp	84 Hour
TRX-1.5KWY	Yellow	AC – 220 V	25 Watt	1 Hour	2,45 Amp	28 Hour	DC – 12 V	25 Watt	1 Hour	1,88 Amp	38 Hour
TRX-1.5KWY	Yellow	AC – 220 V	50 Watt	1 Hour	4,90 Amp	12 Hour	DC – 12 V	50 Watt	1 Hour	3,72 Amp	20 Hour
TRX-1.5KWY	Yellow	AC – 220 V	100 Watt	1 Hour	9,80 Amp	6 Hour	DC – 12 V	100 Watt	1 Hour	7,40 Amp	8 Hour

We reserve the right to make changes.

if it only runs on battery ;

When the solar panel is not connected

100 Ah

YellowPRO 2000 Watt


Kod	Models	Output	Load	Time	Current	Battery Time	Output	Load	Time	Current	Battery Time
TRX-2KWY	YellowPRO	AC – 220 V	10 Watt	1 Hour	0,98 Amp	66 Hour	DC – 12 V	10 Watt	1 Hour	0,83 Amp	108 Hour
TRX-2KWY	YellowPRO	AC – 220 V	25 Watt	1 Hour	2,45 Amp	30 Hour	DC – 12 V	25 Watt	1 Hour	1,88 Amp	46 Hour
TRX-2KWY	YellowPRO	AC – 220 V	50 Watt	1 Hour	4,90 Amp	14 Hour	DC – 12 V	50 Watt	1 Hour	3,72 Amp	24 Hour
TRX-2KWY	YellowPRO	AC – 220 V	100 Watt	1 Hour	9,80 Amp	8 Hour	DC – 12 V	100 Watt	1 Hour	7,40 Amp	12 Hour

We reserve the right to make changes.

45 / 60 Hertz

New Modified Spesific Output Hertz Tecnology

210 / 235 Volt



www.supersolarbox.com

Made in : TR

The most robust Super SolarBOX in the world.!

www.supersolarbox.com

S-BOX

SOLARBOX

international electronic desing



* Front view

Common features ;

Height : 34,0 Cm
 Width : 20,5 Cm
 Length : 40,5 Cm
 Screen : Led V
 Error led : Yes
 Start led : Yes
 AC 220 V : Yes
 DC 12 V : Yes

Wight ;

Yellow : 36 Kg (+/-%10)
 YellowPro : 44 Kg (+/-%10)



* Rear view

Yellow ;

You can use your devices up to 1500 watts

Yellow PRO ;

You can use your devices up to 2000 watts

Devices it can operate

Super Solar BOX Yellow

- 1 Cell phone charger
- 2 Laptop charger
- 3 Tablet charger
- 4 6 pcs led bulbs
- 5 Fan cool
- 6 Mini led television
- 7 Satalite receiver
- 8 Small drill
- 9 Mini A+++ home refrigerator

Super Solar BOX Yellow PRO

- 1 Cell phone charger
- 2 Laptop charger
- 3 Tablet charger
- 4 8 pcs led bulbs
- 5 Fan cool
- 6 Led television
- 7 Satalite receiver
- 8 Small drill
- 9 A+++ home refrigerator
- 10 Modem, Ruters, Hub, Wifi

We reserve the right to make changes.

Package Included Yellow

All inclusive ready package

Package Included Yellow PRO



12 Volt - 220 Volt 1,5 KW

80Ah Batt, 1 KW 220V Output, 325W Solar Panel, Led Lamp



12 or 24 Volt - 220 Volt 2 KW

100Ah Batt, 2 KW 220V Output, 750W Solar Panel, Led Lamp

www.supersolarbox.com

The most robust Super SolarBOX in the world.!

www.supersolarbox.com

S-BOX

SOLARBOX

international electronic desing

Orange Super Solar BOX

Orange 2500 Watt – 3000 Watt

24 V

Kod	Models	AC-Watt	Battery	PV	Solar CHR	Frequency	Output AC	Wifi Connect	AC CHR	Price
TRX-2.5KWO	Orange	2.5 KW	24 V 80*2 160 Ah	1075 Watt	40 Amp	40 / 60 Hz	220 V +/- 4	Yes 2.4 Ghz	20 Ah	\$ -
TRX-3KWO	OrangePRO	3 KW	24 V 100*2 200 Ah	1950 Watt	60 Amp	40 / 60 Hz	220 V +/- 4	Yes 2.4 Ghz	30 Ah	\$ -

We reserve the right to make changes.



Pv Connect "Solar Input"

Orange 2500 Watt

2.5KW

Kod	Max. Pv W	Pv Models	Pv In Volt	Model	Shock+
TRX-2.5KWO	1500 Watt	Poly/Mono/Amorf/Ciss	21,5 V – 40.5 V	S-Pwm	8%

Pv Connect "Solar Input"

OrangePRO 3000 Watt

3 KW

Kod	Max. Pv W	Pv Models	Pv In Volt	Model	Shock+
TRX-3KWO	2300 Watt	Poly/Mono/Amorf/Ciss	21,5 V – 40.5 V	S-Pwm	10%

if it only runs on battery ;

When the solar panel is not connected

160 Ah

Orange 2500 Watt

Kod	Models	Output	Load	Time	Current	Battery Time	Output	Load	Time	Current	Battery Time
TRX-2.5KWO	Orange	AC – 220 V	25 Watt	1 Hour	1,28 Amp	100 Hour	DC – 24 V	25 Watt	1 Hour	1,04 Amp	148 Hour
TRX-2.5KWO	Orange	AC – 220 V	50 Watt	1 Hour	2,56 Amp	50 Hour	DC – 24 V	50 Watt	1 Hour	2,08 Amp	74 Hour
TRX-2.5KWO	Orange	AC – 220 V	100 Watt	1 Hour	4,90 Amp	25 Hour	DC – 24 V	100 Watt	1 Hour	4,16 Amp	36 Hour
TRX-2.5KWO	Orange	AC – 220 V	200 Watt	1 Hour	9,80 Amp	8 Hour	DC – 24 V	200 Watt	1 Hour	8,32 Amp	18 Hour

We reserve the right to make changes.

if it only runs on battery ;

When the solar panel is not connected

200 Ah

OrangePRO 3000 Watt


Kod	Models	Output	Load	Time	Current	Battery Time	Output	Load	Time	Current	Battery Time
TRX-3KWO	OrangePRO	AC – 220 V	25 Watt	1 Hour	1,28 Amp	110 Hour	DC – 24 V	25 Watt	1 Hour	1,04 Amp	178 Hour
TRX-3KWO	OrangePRO	AC – 220 V	50 Watt	1 Hour	2,56 Amp	55 Hour	DC – 24 V	50 Watt	1 Hour	2,08 Amp	88 Hour
TRX-3KWO	OrangePRO	AC – 220 V	100 Watt	1 Hour	4,90 Amp	26 Hour	DC – 24 V	100 Watt	1 Hour	4,16 Amp	44 Hour
TRX-3KWO	OrangePRO	AC – 220 V	200 Watt	1 Hour	9,80 Amp	12 Hour	DC – 24 V	200 Watt	1 Hour	8,32 Amp	22 Hour

We reserve the right to make changes.

45 / 60 Hertz

New Modified Spesific Output Hertz Tecnology

210 / 235 Volt



www.supersolarbox.com

Made in : TR

The most robust Super SolarBOX in the world.!

www.supersolarbox.com

S-BOX

SOLARBOX

international electronic desing



* Front view

Common features ;

Height : 34,0 Cm
 Width : 40,5 Cm
 Length : 40,5 Cm
 Screen : Led V
 WiFi : Yes 2.4 Ghz
 Error led : Yes
 Start led : Yes
 AC 220 V : Yes
 DC12/24V : Yes

Wight ;

Orange : 72 Kg (+/-%10)
 OrangePro: 86 Kg (+/-%10)

* Rear view



Orange ;

You can use your devices up to 2500 watts

Orange PRO ;

You can use your devices up to 3000 watts

We reserve the right to make changes.

Devices it can operate

Super Solar BOX Orange

- 1 Cell phone charger
- 2 Computer / Laptop
- 3 Tablet charger
- 4 10 pcs led bulbs
- 5 Fan cool
- 6 Led television
- 7 Satalite receiver
- 8 Small drill
- 9 A+++ home refrigerator


Super Solar BOX Orange PRO

- 1 Cell phone charger
- 2 Computer / Laptop
- 3 Tablet charger
- 4 14 pcs led bulbs
- 5 Fan cool
- 6 Led television
- 7 Satalite receiver
- 8 Small drill
- 9 A++ home refrigerator
- 10 A++ home deep freeze
- 11 Modem, Ruters, Hub, Wifi

Package Included Orange

All inclusive ready package

Package Included Orange PRO



24 Volt - 220 Volt 2,5 KW

160Ah Batt, 2,5 KW 220V Output, 1075 W Solar Panel



24 Volt - 220 Volt 3 KW

200Ah Batt, 3 KW 220V Output, 1950 W Solar Panel

www.supersolarbox.com

The most robust Super SolarBOX in the world.!

www.supersolarbox.com

S-BOX

SOLARBOX

international electronic desing

Red Super Solar BOX

Red 4000 Watt – 6000 Watt

48 V

Kod	Models	AC-Watt	Battery	PV	Solar CHR	Frequency	Output AC	Wifi Connect	AC CHR	Price
TRX-4KWR	Red	4 KW	48 V 100*4 400 Ah	2600 Watt	60 Amp	40 / 60 Hz	220 V +/- 4	Yes 2.4 Ghz	30 Ah	\$ -
TRX-6KWR	RedPRO	6 KW	48 V 200*4 800 Ah	3250 Watt	80 Amp	40 / 60 Hz	220 V +/- 4	Yes 2.4 Ghz	30 Ah	\$ -

We reserve the right to make changes.



Pv Connect "Solar Input"

Red 4000 Watt

4 KW

Kod	Max. Pv W	Pv Models	Pv In Volt	Model	Shock+
TRX-4KWR	2200 Watt	Poly/Mono/Amorf/Ciss	41,5 V – 110 V	S-Mppt	15%

Pv Connect "Solar Input"

Red 6000 Watt

6 KW

Kod	Max. Pv W	Pv Models	Pv In Volt	Model	Shock+
TRX-6KWR	4600 Watt	Poly/Mono/Amorf/Ciss	41,5 V – 110 V	S-Mppt	15%

if it only runs on battery ;

When the solar panel is not connected

400 Ah

Red 4000 Watt

Kod	Models	Output	Load	Time	Current	Battery Time	WiFi	Bluetooth	USB Port	Parallel	Battery Time
TRX-4KWR	Red	AC – 220 V	50 Watt	1 Hour	1,28 Amp	240 Hour	Yes	50 Watt	1 Hour	1,04 Amp	148 Hour
TRX-4KWR	Red	AC – 220 V	100 Watt	1 Hour	2,56 Amp	120 Hour	DC – 24 V	100 Watt	1 Hour	2,08 Amp	74 Hour
TRX-4KWR	Red	AC – 220 V	200 Watt	1 Hour	4,90 Amp	60 Hour	DC – 24 V	200 Watt	1 Hour	4,16 Amp	36 Hour
TRX-4KWR	Red	AC – 220 V	400 Watt	1 Hour	9,80 Amp	28 Hour	DC – 24 V	400 Watt	1 Hour	8,32 Amp	18 Hour

We reserve the right to make changes.

if it only runs on battery ;

When the solar panel is not connected

800 Ah

Red 6000 Watt


Kod	Models	Output	Load	Time	Current	Battery Time	Output	Load	Time	Current	Battery Time
TRX-6KWR	RedPRO	AC – 220 V	50 Watt	1 Hour	1,28 Amp	480 Hour	DC – 24 V	50 Watt	1 Hour	1,04 Amp	178 Hour
TRX-6KWR	RedPRO	AC – 220 V	100 Watt	1 Hour	2,56 Amp	240 Hour	DC – 24 V	100 Watt	1 Hour	2,08 Amp	88 Hour
TRX-6KWR	RedPRO	AC – 220 V	200 Watt	1 Hour	4,90 Amp	52 Hour	DC – 24 V	200 Watt	1 Hour	4,16 Amp	44 Hour
TRX-6KWR	RedPRO	AC – 220 V	400 Watt	1 Hour	9,80 Amp	24 Hour	DC – 24 V	400 Watt	1 Hour	8,32 Amp	22 Hour

We reserve the right to make changes.

45 / 60 Hertz

New Modified Spesific Output Hertz Tecnology

210 / 235 Volt



www.supersolarbox.com

Made in : TR

The most robust Super SolarBOX in the world.!

www.supersolarbox.com

S-BOX

SOLARBOX

international electronic desing



* Front view

Common features ;

Height : 34,0 Cm
 Width : 40,5 Cm
 Length : 40,5 Cm
 Screen : Led V
 WiFi : Yes 2.4 Ghz
 Error led : Yes
 Start led : Yes
 AC 220 V : Yes
 DC12/24V : Yes

Wight ;

Red : 146 Kg (+/-%10)
 RedPro : 274 Kg (+/-%10)



* Rear view

Red ;

You can use your devices up to 4000 watts

Red PRO ;

You can use your devices up to 6000 watts

We reserve the right to make changes.

Devices it can operate

Super Solar BOX Red

- 1 Cell phone charger
- 2 Computer / Laptop
- 3 Tablet charger
- 4 20 pcs led bulbs
- 5 Clima, Fan cool
- 6 Led television
- 7 Satalite receiver
- 8 Drill, hilti, welder
- 9 A++ home refrigerator


Super Solar BOX Red PRO

- 1 Cell phone charger
- 2 Computer / Laptop
- 3 Tablet charger
- 4 24 pcs led bulbs
- 5 Clima, Fan cool
- 6 Led television
- 7 Satalite receiver
- 8 Drill, hilti, welder
- 9 A++ home refrigerator
- 10 A++ home deep freeze
- 11 Modem, Ruters, Hub, Wifi

Package Included Red


All inclusive ready package

Package Included Red PRO



48 Volt - 220 Volt 4 KW

400Ah Batt, 4 KW 220V Output, 2600 W Solar Panel



48 Volt - 220 Volt or 380 Volt 6 KW

800Ah Batt, 6 KW 220V or 380V Output, 3250 W Solar Panel

www.supersolarbox.com

Made in : TR

